




LIBRARY

ANNUAL REPORT

TO THE

HUNTINGDON

RURAL DISTRICT COUNCIL

FOR

1949

BY

J. R. GARROOD

M.D., D.P.H.

*Medical Officer of Health to the Huntingdon
Rural District Council*

HUNTINGDON:

W. GOGGS & SON, LTD., HIGH STREET

**Public Health Officers of the Huntingdon Rural
District Council.**

Part-time Medical Officer: J. R. GARROOD, M.D., D.P.H.

Sanitary Inspector: B. R. DIXON, M.S.I.A.

Add. Sanitary Inspector: R. H. SHORT, M.S.I.A.

Part-time Analytical Chemist: SOLOMON GREENBURGH, ESQ., and

The Public Health Laboratory Service

Pathologist: DR. HARVEY and Public Health Laboratory Service

**To the
Huntingdon Rural District Council.**

Alconbury Hill.

Gentlemen,

*I beg to submit my Annual Report for the year
1949.*

I am,

Your obedient Servant,

J. R. GARROOD.



Digitized by the Internet Archive
in 2017 with funding from
Wellcome Library

<https://archive.org/details/b29442795>

REPORT

ON THE

HUNTINGDON RURAL DISTRICT FOR 1949

STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

The Housing Scheme has progressed fairly satisfactorily considering the difficulties which affect the country as a whole. The Council owned, or was responsible for, at the end of 1949, 468 houses, all occupied and with their gardens well cultivated in most cases. There are 20 prefabricated temporary houses at Sawtry; these have only small gardens; 14 Swedish houses of wood. 14 houses were built during the war years 1939-46. A total of 64 new houses were occupied in 1949.

Sewerage schemes for Brampton and Sawtry are in preparation. Corrosion of iron water pipes has been a trouble; this appears to be due to bacterial action on sulphur compounds in the clay subsequent to fracture due to earth movement. Concrete asbestos pipes would seem to be the remedy.

There has been no trouble from Aerodrome effluents.

The provision of a water supply calls for more efficient sewers particularly in the larger villages. There are now two scavenging vehicles but in spite of this it is difficult to meet the demands of everyone; perhaps when water carriage of excreta is more general the task will be easier.

There is a steady improvement in the sanitary condition of the District and, if the general financial state of the Country permits, it will not be many years before the whole district is supplied with water, satisfactory houses and probably electricity.

Sewerage is so very expensive that this will probably only be provided where the concentration of population is sufficient to justify it, and after all if the people are sufficiently dispersed there is but little danger; oxidation by air and bacterial action does the treatment. The Brampton Scheme is in abeyance.

SEWERAGE—Alconbury and Alconbury Weston.

In May the sewerage scheme for the above villages commenced and at the end of the year

1,754	yards of 9 in. glazed stoneware sewer
41	„ „ 9 in. cast iron
49	„ „ 6 in. glazed stoneware
166½	„ „ 4 in. glazed stoneware
54	„ „ 5 in. cast iron

had been laid.

10 manholes have been provided in Alconbury Weston.

The work is being carried out by the Dowsett Engineering Construction, Ltd., Talling, Nr. Stamford.

Estimated Population.

Civilian	...	...	...	...	...	...	...	8,168
				Total	...	...	...	9,828

Live Births.

Total—Male, 110; Female, 85.

Legitimate—Male, 99; Female, 83.

Illegitimate—Male, 11; Female, 2.

Birth rate per 1,000 total population, 19.8. England and Wales, 16.7.

Still Births.

Total—Male, 2; Female, 2.

Legitimate—Male, 2; Female, 2.

Illegitimate—Male, 0; Female, 0.

Rate per 1,000 total births, 20.5.

Deaths—Civilian.

All causes, 90.

Death rate per 1,000 population, 11.0. England and Wales, 11.7.

Death rate from Puerperal causes, 0.

Deaths of Infants under one year of age—

Total—Male, 6; Female, 3.

Legitimate—Male, 6; Female, 3.

Illegitimate—Male, 0; Female, 0.

Death rate of Infants under one year of age—

All Infants per 1,000 live births	...	...	...	...	66.4
-----------------------------------	-----	-----	-----	-----	------

This compares with England Wales	...	...	...	...	32.0
----------------------------------	-----	-----	-----	-----	------

Legitimate Infants per 1,000 legitimate live births	...	...	...	...	49.4
---	-----	-----	-----	-----	------

Illegitimate Infants per 1,000 illegitimate live births	...	...	...	...	Nil
---	-----	-----	-----	-----	-----

Causes of Death—							M.	F.
Tuberculosis of respiratory system	...	...					1	0
Other forms of Tuberculosis	...	...	...				1	0
Influenza	...	...	...	...	...	...	1	1
Cancer of Buc. Cav. and Oesoph; (m.) Uterus (f.)							1	0
Cancer of Stomach and Duodenum	...	...					1	1
Cancer of Breast	...	...	...	...	...	...	0	4
Cancer of all other sites	...	...	...	...	...	...	4	4
Intra-cranial Vascular Lesions	...	...	...				3	2
Heart diseases	...	...	...	...	...	...	16	12
Other Diseases of Circulatory System	...	...					3	0
Bronchitis	...	...	...	...	...	...	2	2
Pneumonia	...	...	...	...	...	...	4	0
Diarrhoea, under 2 years	...	...	...	...	...	...	0	1
Other Digestive Diseases	...	...	...	...	...	...	1	0
Nephritis	...	...	...	...	...	...	1	3
Premature Birth	...	...	...	...	...	...	3	1
Con. Mal. Birth Injury Infantile Disease	...	...					0	2
Violent Causes	...	...	...	...	...	...	3	0
All Other Causes	...	...	...	...	...	...	6	6
All Causes	...	...	...	...	...	...	51	39

SANITARY INSPECTOR'S REPORT.

To J. R. GARROOD, ESQ.

ALCONBURY HILL,

3rd June, 1950.

COMPLAINTS.

Total number received 350

Closets.

No. of W.C.s	...	...	...	...	...	...	1,078
No. of pail closets	...	...	...	...	...	...	1,599
No. of W.C.s constructed during year for new houses	...						79
No. of pail closets constructed during year for new houses	...						Nil
No. of W.C.s constructed during year for old houses	...						15
No. of pail closets constructed during year for old houses	...						Nil
No. of pail closets converted to W.C.s	...	...	...				15

SCAVENGING.

Dry Refuse.

No. of houses in district	...	...	...	...	...	2,498
No. of houses with dustbins	...	...	...	...	...	1,301
No. of notices served requiring provision of dustbins	...					5
No. of new bins provided	...	...	...	...	...	79
Disposal—frequency of collection	...	...	...	...	Every 4 weeks	

Night Soil.

No. of pail closets emptied	...	...	...	...	...	1,599
Disposal—frequency of collection	...	...	...	...	Weekly	
Complaints received re non-removal	...	...	...	...	...	58

DRAINS.

New drains tested	...	...	...	...	...	108
Existing drains inspected	...	...	...	...	...	329
Existing drains repaired	...	...	...	...	...	78

CESSPOOLS.

No. of cesspools inspected	...	...	...	...	...	117
No. of new septic tanks provided	...	...	...	...	...	16
No. of cesspools abolished	...	...	...	...	...	Nil

SHOPS & OFFICES.

No. of shops inspected	...	...	...	...	...	27
Total number of visits	...	...	...	...	...	73
No. requiring additional heating	...	...	...	...	...	Nil
No. requiring additional ventilation	...	...	...	...	...	Nil
No. requiring addition san. con.	...	...	...	...	...	Nil
No. requiring additional washing accommodation	...	...	...	...	...	Nil

DISINFESTATION.

No. of houses infested	...	...	...	...	...	2
No. of houses disinfested	...	...	...	...	...	2

DISINFECTION.

Cases of I.D. reported (other than measles and whooping cough)	...	...	...	...	...	68
No. of inspections	...	...	...	...	...	5
No. of disinfections	...	...	...	...	...	5
Schools disinfected	...	...	...	...	...	Nil

FACTORIES ACTS, 1937 & 1948.

Factories.

Total No. on Register (including bakehouses)	...	...	...	...	...	28
No. in which nuisance abated	...	...	...	...	...	3

Bakehouses.

No. on register	...	...	...	...	...	11
No. in which nuisance abated	...	...	...	...	...	5

Home Work.

No. of outworkers	...	...	...	...	...	Nil
No. of houses	...	...	...	...	...	Nil
No. of infected houses	...	...	...	...	...	Nil

Legal Proceedings.

i.e., Summonses, etc.	...	...	...	...	...	Nil
Convictions	...	...	...	...	...	Nil

NUISANCES.

P.H. Act, 1936.

No. of informal notices	...	...	...	...	...	209
No. of statutory notices ...	...	...	...	...	...	Nil
No. abated following I.N.	...	...	...	...	...	208
No. abated following S.N.	...	...	...	...	...	Nil

Analysis of nuisances abated.

Premises	...	...	...	...	...	...	137
Offensive accumulations	...	...	...	...	...	...	4
Foul ditches	...	...	...	...	...	...	14
Drains	...	...	...	...	...	...	46
Animals	...	...	...	...	...	...	Nil
Cesspools	...	...	...	...	...	...	8
Smoke	...	...	...	...	...	...	Nil

HOUSING STATISTICS.

Inspection of dwelling houses during the year.

(1) (a) Total number of dwelling houses inspected for housing defects (under Public Health or Housing Acts) ...	...	...	...	...	...	...	315
---	-----	-----	-----	-----	-----	-----	-----

(b) No. of inspections made for the purpose ...	...	362
---	-----	-----

Regional Survey.

(2) (a) No. of dwelling houses which were inspected and recorded under the Housing Consolidated Regulations, 1925 and 1932	...	...	...	1,150
--	-----	-----	-----	-------

(b) No. of inspections made for the purpose ...	...	1,150
---	-----	-------

(3) No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation	...	...	...	...	191
---	-----	-----	-----	-----	-----

(4) No. of dwelling houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation	...	...	520
--	-----	-----	-----

Remedy of Defects during the Year without Service of Formal Notices.

Number of defective dwelling houses rendered fit in consequence of informal action by the Local Authority or their officers	115
--	-----

Action under Statutory Powers during the year.

A.—Proceedings under Sections 9, 10 and 16 of the Housing Act, 1936.

(1) No. of dwelling houses in respect of which notices were served requiring repairs	Nil
(2) No. of dwelling houses which were rendered fit after service of formal notices:—	
(a) By Owners	Nil
(b) By Local Authority in default of owners ...	Nil

B.—Proceedings under Public Health Acts:—

(1) No. of dwelling houses in respect of which notices were served requiring defects to be remedied ...	Nil
(2) No. of dwelling houses in which defects were remedied after service of formal notices:	
(a) By Owners	Nil
(b) By Local Authority in default of owners ...	Nil

C.—Proceedings under Section 11 and 13 of the Housing Act, 1936.

(1) No. of dwelling houses in respect of which Demolition Orders were made	Nil
(2) No. of dwelling houses demolished in pursuance of Demolition Orders	Nil

D.—Proceedings under Section 12 of the Housing Act, 1936.

(1) No. of separate tenements or underground rooms in respect of which closing orders were made	Nil
(2) Number of separate tenements or underground rooms in respect of which closing orders were determined, the tenement or room having been rendered fit	Nil

Housing Act, 1936. Part IV. Overcrowding.

A.—(1)	No. of dwellings overcrowded at the end of the year	21
(2)	No. of families dwelling therein	21
(3)	No. of persons dwelling therein	130

B.—	Number of new cases of overcrowding reported during the year	9
-----	---	---

C.—(1)	No. of cases of overcrowding relieved during the year	9
(2)	No. of persons concerned in such cases	36

D.—	Particulars of any cases in which dwelling houses have again become overcrowded after the local authority have taken steps for the abatement of overcrowding	Nil
-----	---	-----

E.—	Any other particulars with respect to overcrowding conditions upon which the Medical Officer of Health may consider it desirable to report ...	Nil
-----	--	-----

NEW HOUSES OCCUPIED DURING 1949

PARISH	ADDRESS	NEW HOUSES BY		BY ADAPTATION		TOTAL
		L.A.	P.E.	L.A.	P.E.	
Alconbury	School Lane	2				2
"	South View			7		7
Brampton	Bell End		2			2
Ellington			1			1
Great Raveley					1	1
Old Weston	West Bank	2				2
Sawtry	Fen Lane	3				3
"	Fen Lane (Aireys)	12				12
"	Sawtry Way			19		19
Spaldwick		4				4
"	Stow Road	2				2
Little Stukeley			2			2
Upton		6				6
Woodwalton	Abbey Farm		1			1
		31	6	26	1	64

SCAVENGING.

The two vehicles, with a staff of six men operating at present, is insufficient to give more than a weekly night soil collection and a four weekly unburnable refuse collection. More is required on the Temporary Housing sites and from most of the dwelling houses during the winter.

Considerable difficulty is also experienced in disposing of the night soil collected since tipping on agricultural land can only be carried out when the land is dry, and farmers generally are reluctant to have it deposited on their land. We are also tipping into a depression at the Alconbury Works with no difficulties at present but there may be a limit to this.

MEAT, Etc.

No. of slaughter houses	...	...	...	...	...	...	7
No. of inspections re condition	...	...	...	...	...	...	18
No. of notices	...	...	...	...	...	...	1
No. of notices complied with	...	...	...	...	...	...	1
No. of seizures of unwholesome food	...	...	...	...	...	...	Nil

REPORT on WATER SUPPLY for the HUNTINGDON RURAL DISTRICT for the Year 1949.

Name of Town Village or Parish	Source of Supply:— Public Supply, Wells, etc.	Sufficiency or Otherwise	Quality of Water	Analyses of Individual Supplies Satisfactory, Unsatisfactory or none	Estimated No. of Dwellings supplied			Estimated Population supplied		
					Direct from Main Supply	By Stand- pipes	By public or private wells	Direct from Main Supply	By Stand- pipes	By public or private wells
Abbots Ripton ...	Public Supply	Yes	Sat.	Sat.	95	—		339		4
Alconbury ...	"	"	"	"	162	—		646		—
Alconbury Weston	"	"	"	"	93	—		243		34
Barham & Woolley	Wells ...	No	Poor	None	—	—	27	—		75
Brampton ...	Public supply	Yes	Sat.	Sat.	298	—		854		177
Brington & Molesworth	Springs & wells	No	Poor	"	15	—		90		115
Bythorn & Keyston	Wells ...	Yes	"	"	—	—		—		280
Buckworth ...	"	No	"	None	5	—		15		132
Conington ...	Public supply	Yes	Sat.	Sat.	39	—		168		123
Easton ...	"	"	"	"	25	—		71		19
Ellington ...	"	"	"	"	55	—		177		40
Great Gidding ...	"	"	"	"	72	—		249		25
Great Raveley	"	"	"	"	See Up wood	—				
Great Stukeley ...	"	"	"	"	See Little Stukeley	—				
Hamerton ...	"	"	"	"	35	—		101		20
King's Ripton ...	"	"	"	"	37	—		119		—
Leighton ...	Wells ...	No	Poor	None		—				218
Little Gidding ...	Well ...	"	"	"		—				38
Little Raveley ...	Public Supply	Yes	Sat.	Sat.	See Up wood	—				
Little Stukeley ...	"	"	"	"	167	—		501		117
Old Weston ...	Wells ...	No	Poor	None		—				
Sawtry ...	Public supply	Yes	Sat.	Sat.	313	—		1,047		39
Spaldwick	"	"	"	"	76	—		203		54
Steeple Gidding	Private supplies	No	Poor	None		—				15
Upton & Coppingford	Public supply & well	Yes No	Sat. & Poor	Sat.	34	—		125		
Upwood ...	Public supply	Yes	Sat.	"	144	—		490		45
Winwick ...	"	"	"	"	24	—		87		43
Woodwalton ...	"	"	"	"	58	—		172		190

Main Piped Supplies.

<i>Source of Supply.</i>				<i>Parishes Supplied.</i>
A.	Houghton Well	...	...	Abbots Ripton, Alconbury, Alconbury Weston, Buckworth, King's Ripton, The Stukeleys, Upton, Upwood and the Raveleys, Sawtry, Woodwalton and Conington.
B.	R.A.F. Well, Brampton	...	...	Brampton, Easton, Ellington and Spaldwick.
C.	Oundle and Thrapston R.D.C.	...	...	Great Gidding, Winwick and Hamerton.

Bacteriological Examinations on Raw Water.

<i>Source</i>	<i>Total No. of Samples</i>	<i>No. Satis.</i>	<i>No. Unsatis.</i>
A.	1	1	—

Bacteriological Examinations on Treated Water.

<i>Source</i>	<i>Total No. of Samples</i>	<i>No. Satis.</i>	<i>No. Unsatis.</i>
A.	41	41	—
B.	18	18	—
C.	28	25	3

Particulars of Unsatisfactory Analyses and action taken:—Repeat samples reported all satisfactory.

Development Schemes in progress:—Nil.

I recommend that water softening arrangements be made when the new pumping station is constructed.

Wells.

New wells sunk: Nil.

Wells cleansed and repaired: Nil.

Wells closed as polluted: Nil.

Number of samples obtained for analysis found to be:—

Satisfactory: Nil.

Unsatisfactory: Nil.

Any insufficiency: Nil.

PUBLIC ANALYST'S LABORATORY,
Tenison Road,
CAMBRIDGE.

DR. S. GREENBURGH, Ph.D., B.Sc., F.R.I.C.,
Public Analyst.

CERTIFICATE OF ANALYSIS.

Sample of water labelled "The Pumping Station, Houghton", received
on the 13th September 1949 from B. R. Dixon, Esq., Huntingdon
Rural District Council.

Physical Characters	...	...	Good
Reaction	...	...	pH 7.1

The sample contained:—

Parts per 100,000

Chlorine	...	...	...	...	...	5.1
Ammonia (Free and Saline)	...	...	...	...	...	0.0006
Ammonia (Albuminoid)	...	...	...	...	...	0.0066
Oxygen absorbed in 3 hrs. at 37°C.	...	...	...	...	...	0.0710
Nitrates (expressed as Nitrogen)	...	...	...	...	...	0.35
Nitrites	...	...	...	...	...	absent
Poisonous Metals	...	...	...	...	...	absent

BACTERIOLOGICAL EXAMINATION.

Coliform organisms absent in 100 mls.

Number of micro-organisms per ml. developing on Agar at 37°C.=0

Number of micro-organisms per ml. developing on Agar at 21°C.=0

MICROSCOPICAL EXAMINATION OF DEPOSIT.

None.

TOTAL HARDNESS ... 21.44 degrees (grains per gallon).

INFERENCE.

The results obtained on the analysis of this sample did not show any evidence of pollution with harmful organic or inorganic matter.

I am of opinion that this water is fit for drinking purposes.

S. GREENBURGH,
Public Analyst.

16th September 1949.

HUNTINGDON RURAL DISTRICT COUNCIL. REGIONAL WATER SCHEME.

Quantities of Water Pumped During 1949.

				<i>Gallons</i>	
				<i>Average daily</i>	<i>Total</i>
January	...	...	...	255,806	7,930,000
February	...	...	...	253,357	7,094,000
March	...	...	...	248,064	7,690,000
April	...	...	...	247,833	7,435,000
May	...	...	...	262,032	8,123,000
June	...	...	...	271,300	8,139,000
July	...	...	...	286,389	8,878,000
August	...	...	...	298,871	9,265,000
September	...	...	...	291,366	8,741,000
October	...	...	...	277,032	8,588,000
November	...	...	...	288,833	8,665,000
December	...	...	...	276,677	8,577,000
Total pumped during the year					<u>99,125,000</u>

Rainfall during 1949: =17.82 inches.

Total quantity pumped during 1949	...	...	99,125,000	gallons
Bulk supplies to Military establishments	...	...	50,608,000	„
Metered supplies	...	...	27,611,000	„
Balance supplied in district	...	...	20,906,000	„
Average daily consumption in district other than metered supplies	...	...	57,276	„
Average daily consumption per head of estimated population supplied	...	...	14.8	„

Consumption of Air Ministry Establishments, 1949.

WYTON—

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>	<i>Total</i>
6,534,000	6,762,000	6,905,000	6,893,000	27,116,000

UPWOOD—

5,983,000	5,642,000	5,830,000	6,059,000	23,514,000
<u>12,517,000</u>	<u>12,404,000</u>	<u>12,735,000</u>	<u>12,952,000</u>	<u>50,630,000</u>

HUNTINGDON RURAL DISTRICT COUNCIL. Annual Report, 1949—Regional Water Scheme.

	Population 1931 Census	Population Estimated Mid 1949	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Abbots Ripton	343	373	106	95	26	7	76	339
Alconbury	492	782	216	162	10	17	116	646
Alconbury Weston	276	264	99	93	12	3	64	243
Buckworth	—	—	—	5	2	—	1	15
Conington	245	310	72	39	5	1	27	168
King's Ripton	117	127	39	37	8	—	48	119
The Stukeleys	483	543	182	167	24	15	122	501
Upton and Coppingford	138	140	39	34	4	1	30	125
Upwood and The Raveleys	535	544	158	144	26	5	96	490
Sawtry	915	1,124	337	313	36	9	206	1,047
Woodwalton	362	243	81	58	11	—	45	172
	3,906	4,450	1,329	1,147	164	58	831	3,865

GREAT GIDDING AND WINWICK SCHEME.

Parish	Population 1931 Census	Population Estimated Mid 1949	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Great Gidding	274	224	80	72	18	3	60	249
Hamerton	121	133	47	35	8	—	Mains owned by Estate	101
Winwick	124	135	42	24	13	—	13	87
	519	492	169	131	39	3	73	437

BRAMPTON WATER SCHEME.

Parish	Population 1931 Census	Population Estimated Mid 1949	No. of houses	No. of houses supplied	No. of Farm supplies	No. of other premises supplied	No. of communi- cation pipes	Estimated population supplied
Brampton	1,031	1,171	367	298	3	9	190	854
Ellington	217	218	74	55	8	2	44	177
Easton	88	88	33	25	5	—	16	71
Spaldwick	242	278	96	76	7	4	54	203
	1,578	1,755	570	454	23	15	304	1,305

Great Gidding, Winwick and Hamerton Consumption.

SUPPLIED BY OUNDLE AND THRAPSTON R.D.C.

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>	
1,274,000	1,631,000	1,727,000	1,412,000	
Total quantity supplied ...	...	...	...	6,044,000 gallons
Average per day ...	...	...	...	16,559
Average per head per day based on estimated population supplied	...	...	...	37 „

Consumption in Hamerton Only.

PRIVATE SUPPLY IN BULK

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>
536,000	959,000	936,000	643,000
TOTAL: 3,074,000		AVERAGE DAILY: 8,422	

Brampton Water Scheme.

SUPPLIED FROM AIR MINISTRY MAIN

<i>March</i>	<i>June</i>	<i>September</i>	<i>December</i>	
1,714,000	2,219,000	2,514,000	2,977,000	
Total quantity supplied ...	...	...	...	9,424,000 gallons
Average per day ...	...	...	...	25,819 „
Average per head per day on estimated population supplied	...	...	...	14.7 „

PREVALENCE OF AND CONTROL OVER INFECTIOUS DISEASES

			Cases	Death	Cases admitted to Hospital
Scarlet Fever ...	...	...	17	—	8
Diphtheria ...	...	...	0	—	—
Puerperal Pyrexia ...	...	...	1	—	—
Pneumonia ...	...	...	5	—	—
Erysipelas ...	...	...	—	—	—
Whooping Cough ...	...	...	19	—	1
Measles ...	...	...	56	—	2
Chicken Pox ...	...	...	23	—	1
Infective Hepatitis ...	...	...	10	—	4
Dysentery ...	...	...	—	—	—

Immunisation of School children ceased to be performed by the Council on 5th July, 1948.

65 per cent of children under 15 were immunised in 1949.

Diphtheria Immunisation Statistics, 1949.

Age at 31/12/49 i.e., Born in year	Under 1 1949	1 1948	2 1947	3 1946	4 1945	5-9 1940 1944	10-14 1935 1939	Total under 15
Number immunised								
HUNTINGDON RURAL	6	86	101	84	73	420	392	1,162

Tuberculosis.—The following table gives the particulars of the new cases of Tuberculosis, and deaths from the disease in the area in 1949.

Age Periods	Deaths				New Cases			
	Pulmonary		Non-Pulmonary		Pulmonary		Non-Pulmonary	
	M.	F.	M.	F.	M.	F.	M.	F.
0—1	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—
5—15	—	—	—	—	1	—	—	—
15—25	—	—	—	—	2	—	—	—
25—35	—	—	—	—	—	—	—	—
35—45	—	—	—	—	—	—	—	—
45—55	—	—	—	—	—	—	—	—
55—65	—	—	1	—	—	—	—	—
65 up	—	—	—	—	—	—	—	—
TOTAL	—	—	1	—	3	—	—	—

